



9999.00 EUR  
incl. 19% VAT, plus shipping

- 4x35W Amplifier
- Double DIN size !
- Bluetooth !
- Intel Atom CPU !



**Support:**  [Assembling Tutorial \[DE\]](#) |  [Assembling Tutorial \[EN\]](#) |  [Software Tutorial \[DE\]](#) |  [Software Tutorial \[EN\]](#)

**Car-PC Barebone :** Choose yourself : HDD/SSD and Operating system.

**Update (19.12.2011) :**

- CAN-BUS
- 2x Mini-PCIe slot
- SIM card slot
- 2GB RAM
- Intel Atom N270 CPU

**Update (24.08.2010) :** Now with integrated DVD Slot-In drive.

**Many functions and features**

The barebone is equipped with an Intel Atom CPU and 2GB RAM. The 6.95" Touchscreen display enables comfortable control, the integrated Bluetooth receiver enables telephony using your cell phone. Several USB-connectors and a SD-card reader offer additional interfaces. The device has an integrated AM/FM Radio-receiver and the 4x35W amplifier enables sound output to car speakers.

**Perfect for mobile environment**

The customized BIOS enables cold start to Windows XP Pro within only a few seconds (even faster from Stand-By). By connecting to ignition-plus-control line of your car the system will start and shutdown automatically. Additional displays, eg. for rear seats, can be connected to the separate VGA output.

**Features :**

- Intel Atom CPU, 2GB RAM
- 6.95" Touchscreen display with LED backlight
- AM/FM Radio
- Amplifier (4x 35W) for direct connection to car speakers
- Bluetooth integrated (only for telephony)
- USB, SD-Reader in front
- Starts/Stops automatically based on ignition plus
- Fast Boot
- VGA-connector for additional displays
- 2x free internal Mini-PCIe slot
- DVD Slot-In drive
- CAN-BUS
- SIM Card Slot (You need a 3G-Mini-PCIe-modem in addition!)

CPU	Intel Atom N270 (2x1.6GHz)
Graphics	Intel GMA
Memory	1x SO-DDR-III RAM 2GB RAM (already integrated)
LCD	800 X 480 6.95" Touchscreen TFT, LED Backlight
Bluetooth	Integrated (only for telephony)
USB	Front 1x / Rear 4x
HDD	1x 2.5" SATA HDD/SSD (not included)
CD/DVD	1x Slot-In CD/DVD drive (included)
RADIO	FM section:87.5~108 MHz / AM section:153~1710 KHz, Autoscan Feature, Software memory slots : 9x AM, 18x FM
AMP	35W x 5 (= 2x Front/2x Rear/1x Center) + 1x Subwoofer + 2x Cinch Line-Out, Support EQ mode control
Video	1x AV-input, 1x rear camera input, 1x VGA output

	<u>Front :</u> 1x USB 1x SD-Slot 1x 3.55mm Audio-In
	<u>Rear :</u> 4x CAN-BUS (+5V, GND, CAN-H, CAN-L) 4x USB 1x VGA-output 1x 3.55mm MIC-input 1x Video-input 1x rear camera input 1x rear brake 1x AUX-Audio-input (2x Cinch) 1x Front-L, 1x Front-R 1x Rear-L, 1x Rear-R 1x Center 1x Subwoofer 1x Line-Out (2x Cinch) 1x DIN ISO Radio-antenna input + Ignition plus, Plus, Ground
I/O	
S/W	Touchscreen Desktop Interface Software (included in scope of supply)
Compatibility	WinXP (recommended), Vista, Windows 7
Dimensions	184mm (B) x 109mm (H) x 162mm (T) Without front plate : 179mm (B) x 100mm (H) x 162mm (T)
Certifications	CE, FCC, E9 (=E-mark)
Operating temperature	-20°C bis 70°C
Power consumption	~36W
Weight	~3.5kg
Scope of supply	- CTFDINPC-2 Car-PC Barebone - 3x connector cables - DriverCD - CarPC Touchscreen Desktop Software



